Safety Data Sheet



SECTION 1: Product and company identification

Product name : Hand Sanitizing Wipes Use of the substance/mixture Premoistened wipe

Product code 1448

Total Solutions Company

P.O. Box 240014

Milwaukee, WI 53224 - USA

T 800-743-6417

athea.com

Contact:Technical Department Chemtrec: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Emergency number

Flam. Sol. 2 H228 H319 Eye Irrit. 2 STOT SE 3 H336

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)





GHS07 GHS02

Signal word (GHS US) Warning

Hazard statements (GHS US) Flammable solid.

> Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary statements (GHS US) Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical, lighting, ventilating equipment.

Avoid breathing mist, vapours. Wash thoroughly after handling

Use only outdoors or in a well-ventilated area.

Wear eye protection, protective clothing, protective gloves.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Call a doctor, a POISON CENTER if you feel unwell. If eye irritation persists: Get medical advice/attention.

In case of fire: Use water to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container to comply with local/regional/national/international regulations..

Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Ethanol	(CAS-No.) 64-17-5	60 - 100	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 Carc. 1A, H350

Issue date: 2/23/2022 Revision date: 02/23/2022 Version: 1.4 Z US GHS SDS 21 Page 1 of 6

Safety Data Sheet



			30L0110113
			STOT SE 3, H336
Undeceth-5	(CAS-No.) 34398-01-1	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for

several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause light irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms/effects after ingestion : Gastrointestinal complaints.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, collect/pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

Issue date: 2/23/2022 Revision date: 02/23/2022 Version: 1.4 Z US GHS SDS 21 Page 2 of 6

Safety Data Sheet



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep

container tightly closed.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep container closed when not in use.

Incompatible products : Oxidizing agent.

Information on mixed storage : KEEP SÜBSTANCE AWAY FROM: oxidizing agents.

Storage area : Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Undeceth-5 (34398-01-1)

Not applicable

Ethanol (64-17-5)		
ACGIH	ACGIH OEL STEL [ppm]	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL TWA [1]	1900 mg/m ³
OSHA	OSHA PEL TWA [2]	1000 ppm

8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Premoistened wipe
Odour : Pleasant scent
Odour threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : > 95 °F

Flash point : 70 °F Closed Cup - Tested using the liquid component of the towelette

Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) No data available **Explosive limits** No data available Explosive properties No data available Oxidising properties No data available Vapour pressure No data available Relative density No data available Relative vapour density at 20 °C No data available 0.88 g/ml Density

Defisity . 0.00 g/ff

Solubility : Liquid component is soluble in water.

Partition coefficient n-octanol/water (Log Pow)
Partition coefficient n-octanol/water (Log Kow)
Auto-ignition temperature
Decomposition temperature
Viscosity
Viscosity, kinematic
Viscosity, dynamic

No data available

VOC content : < 75 % Tested using the liquid component of the towelette

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

Issue date: 2/23/2022 Revision date: 02/23/2022 Version: 1.4 Z US GHS SDS 21 Page 3 of 6

Safety Data Sheet



10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Undeceth-5	(34398-01-1)	

LD50 oral rat > 1400 mg/kg

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg bodyweight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE CLP (oral)	10740 mg/kg bodyweight

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Ethanol (64-17-5)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause light irritation.

Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms/effects after ingestion : Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

Undeceth-5 (34398-01-1)	
LC50 - Fish [1]	< 10 mg/l
EC50 - Crustacea [1]	< 10 mg/l
ErC50 algae	< 10 mg/l

Ethanol (64-17-5)	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water,
	Experimental value, Lethal)

12.2. Persistence and degradability

Ellianoi (64-17-3)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.

Issue date: 2/23/2022 Revision date: 02/23/2022 Version: 1.4 Z_US GHS SDS 21 Page 4 of 6

Safety Data Sheet



Biochemical oxygen demand (BOD)	0.8 − 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	0.43

12.3. Bioaccumulative potential

Ethanol (64-17-5)	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not flush wipes. Dispose of contents/container to comply with local/regional/national/international Waste treatment methods

regulations.

Product/Packaging disposal Dispose in a safe manner in accordance with local/national regulations.

recommendations

UN-No.(DOT)

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) UN3175 Solids containing flammable liquid, n.o.s. (Ethanol), 4.1, II

UN3175

Proper Shipping Name (DOT) Solids containing flammable liquid, n.o.s.

Class (DOT) 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124

: 151

: 15 kg

: 50 kg

Hazard labels (DOT) 4.1 - Flammable solid



Packing group (DOT) II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) 212

DOT Packaging Bulk (49 CFR 173.xxx)

DOT Symbols G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) 47,IB6,IP2,T3,TP33

DOT Packaging Exceptions (49 CFR

173.xxx)

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft

only (49 CFR 175.75)

DOT Vessel Stowage Location

: B

Additional information

Emergency Response Guide (ERG) : 133

Number

When transported by ground, this product may be eligible to be shipped as a Limited Quantity utilizing Other information

the exception found at 49 CFR 173.151. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Issue date: 2/23/2022 Revision date: 02/23/2022 Z US GHS SDS 21 Page 5 of 6 Version: 1.4

Safety Data Sheet



This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

2-methylpropan-2-ol; tert-butyl alcohol	75-65-0	0.1 - 1%
---	---------	----------

Undeceth-5	(34398-01-1)	SARA Section 311/312 Hazard ClassesImmediate (acute)
		health hazard

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


NFPA health hazard : 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary

combustible materials.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost

all ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 2/23/2022 Revision date: 02/23/2022 Version: 1.4 Z_US GHS SDS 21 Page 6 of 6